

Radel®



SOLVAY

asking more from chemistry®

Radel® PPSU

for Aircraft Interiors

**SPECIALTY
POLYMERS**

Radel® PPSU for Aircraft Interiors

Radel® polyphenylsulfone (PPSU) is a versatile, super-tough plastic that meets existing and emerging safety requirements for structural and decorative aircraft interior components, and it is compliant with stringent FAA regulations requiring low heat release, low smoke generation and low toxic emissions.

Key features

- Exceptional toughness and impact strength
- Meets OSU 65/65 and FAR 25.853 (a & d)
- Molded-in colors eliminate painting
- Best-in-class resistance to cleaning agents
- High flow grades for thin-walled components
- Lower cost paintable grades available



Radel® PPSU replaces aluminum in the world's strongest lightweight fully-recyclable trolley.



Thermoforming

As demonstrated in the Boeing 777 flight deck drip tray, the high melt strength of Radel® PPSU makes it possible to thermoform full sheets into large parts with deep draws without excessive thinning or breaking.



Injection Molding

High-flow Radel® grades are widely used for passenger service units, seat video shrouds and other thin-walled decorative components.



Extrusion

Customized extruded profiles offer tailor-made solutions for interior molding.



Typical properties of Radel® PPSU

	R-7300 R-7400	R-7700	R-7159	R-5000 R-5100
	Premium	Premium	Thin walls	Toughness
Processability flow at high shear rates	High flow	Low flow	High flow	Medium flow
Painted or non-painted applications	Non-painted	Both	Best for painted	Both
Tensile strength, MPa (kpsi)	75.8 (11.0)	71.7 (10.4)	75.0 (11.0)	69.6 (10.1)
Izod impact, notched, J/m (ft-lb/inch)	80 (1.5)	133 (2.5)	130 (2.5)	690 (13.0)
OSU peak heat release FAR 25.853(d)	Pass	Pass	Pass	—
NBA smoke density FAR 25.853(d)	Pass	Pass	Pass	Pass
60-second vertical burn FAR 25.853(a)	Pass	Pass	Pass	Pass
Toxic gas emission ABD 0031 & BSS 7239	Pass	Pass	Pass	Pass

www.solvay.com

SpecialtyPolymers.EMEA@solvay.com | Europe, Middle East and Africa

SpecialtyPolymers.Americas@solvay.com | Americas

SpecialtyPolymers.Asia@solvay.com | Asia Pacific

Safety Data Sheets (SDS) are available by emailing us or contacting your sales representative. Always consult the appropriate SDS before using any of our products. Neither Solvay Specialty Polymers nor any of its affiliates makes any warranty, express or implied, including merchantability or fitness for use, or accepts any liability in connection with this product, related information or its use. Some applications of which Solvay's products may be proposed to be used are regulated or restricted by applicable laws and regulations or by national or international standards and in some cases by Solvay's recommendation, including applications of food/feed, water treatment, medical, pharmaceuticals, and personal care. Only products designated as part of the Solviva® family of biomaterials may be considered as candidates for use in implantable medical devices. The user alone must finally determine suitability of any information or products for any contemplated use in compliance with applicable law, the manner of use and whether any patents are infringed. The information and the products are for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. All trademarks and registered trademarks are property of the companies that comprise Solvay Group or their respective owners.

© 2018 Solvay Specialty Polymers. All rights reserved. D 09/2011 | R 05/2018 | Version 1.9